

Docket No. F-8309

Ser. No. 10/502,303

APPENDIX I**ALL PENDING CLAIMS WITH AMENDMENTS EFFECTED THEREIN**

1. (Currently Amended) A battery pack comprising:

a rechargeable battery;

a substrate having first and second substrate side surfaces which are on opposite sides of said substrate, said substrate at least having a terminal contact electrically connected to said rechargeable battery and supported on said first side surface of said substrate;

said substrate being united to said rechargeable battery by solidified molded resin molded between at least said second substrate side surface and said rechargeable battery to adhere said substrate to said rechargeable battery; and

a molded resin member covering at least a portion of said first substrate and at least having an opening exposing a terminal surface of said terminal contact to outside said battery through said opening.

2. (Currently Amended) A battery pack comprising:

a rechargeable battery including elements for electromotive force accommodated in a bottomed tube shaped battery case having a top tube end sealed by a sealing plate and a bottom face;

A I - 1

USPTO Patent Office

Docket No. F-8309

Ser. No. 10/502,303

a substrate having first and second substrate side surfaces which are on opposite sides of said substrate, said substrate at least having a terminal contact disposed on said first substrate surface;

said substrate being united to said rechargeable battery by a resin molded member adhering to said second substrate surface and said sealing plate to form a substrate and battery assembly;

the terminal contact being electrically connected onto the sealing plate;

an upper molded resin member at least having an opening for exposing a surface of the terminal contact to outside the battery pack;

said upper molded resin member being bonded to said substrate and battery assembly such as to cover the substrate and the molded resin member with at least the exception of said surface of said terminal contact;

a lower molded resin member bonded to said bottom face of the battery case; and

a sheet being wound around side faces of the upper molded resin member, the lower molded resin member, and the battery case.

3. (Currently Amended) The battery pack according to claim 2, wherein the upper molded resin member and the lower molded resin member are coupled together by connection pieces that run along sides of the battery case.

A1 - 2

EX-101 (10/10/10) .wpl

Docket No. F-8309

Ser. No. 10/502,303

4. (Currently Amended) The battery pack according to claim 3, wherein the upper molded resin member and the lower molded resin member, and the connection pieces are integrally molded such that the connection pieces are bendable at right angles at hinges formed therewith.

5-15. (Cancelled)

A1-3

የአገሪቱን ምርጫ ወጪ